

JMC Elite 929 Series Clamp-Less Helmet Headset for Open-Face or Flip-Front Style Helmets #HS-ECLS929-LDC

Installation and Operation Instructions

PRODUCT DESCRIPTION

JMC Elite 929 Series Clamp-Less Helmet Headset for most Open-Face or Flip-Front Modular Style Helmets

HS-ECLS929-LDC

J&Ms elite 929 series helmet headset ,,,, THE VERY BEST performing helmet headset available!

- Features miniature extra-high-output AeroMike® VI boom-style microphone.
- 45mm large-diameter high-intensity helmet speakers for superior on-highway audio performance.
- Clamp-less style mounting with upper cord pigtail integrated into headset.
- Will connect to any factory installed motorcycle audio system in existence today, including the 1998-2024 Harley Infotainment systems & Honda GL-1800 Premium Audio, just by interchanging the lower section hook-up cord.
- Packaged with universal clamp-less mounting hardware and complete installation instructions.

Made-In-The-USA at our factory in Tucson Arizona, from both domestic and foreign raw materials.






Installation


 Un-Snap or unscrew all fasteners and padding for both left and right-side cheek-pads and styrene cheekpad inserts. Pay special attention to how they are removed so that you can re-install them properly in reverse once the headset is installed. 2. Hold the main headset cable with mounting clip attached in place on the inside bottom left portion of the helmet, using the photo below as a guide, and mark the position for the 5/32" hole to be drilled in the bottom edge shell of the helmet.



3. Drill the hole from the outside, using a small hand drill and it is recommended to drill the hole to 1/8" size first, before stepping up to the 5/32" drill bit.



4. Using the included #8-32X1/2" socket screw, washer, clamp assembly and #8-32 nut, tighten assembly into place using a 3/32" allen tool.



5. Position the boom-mike assembly on the inside bottom right portion of the helmet as shown, mark position, then secure using the pre-gummed Velcro pad.




6. Peel the backing off the large Velcro pads and place them into the bottom of each speaker pocket indent for both left and right-side styrene pads as shown.



7. Now place each speaker onto the Velcro pad for both sides.



8. Reinstall both left and right-side styrene cheek-pads and while sliding them back into place, plug both speakers and the microphone into the main wiring harness of the headset. Use the supplied wooden tool to slide each wire under the main neck-roll and cheek pad interior padding, out of site.



9. Now reinstall both left and right-side interior padding pieces and secure to complete the installation.

Operation

1. Plug in the LOWER-Section G-Series hook-up cord that corresponds to your specific motorcycle audio system and test all functions. (G-series lower hook-up cord chart below)





LOWER SECTION HOOK-UP CORDS

Choose "G" series lower-section hook-up cord for proper connection to your specific audio system.

HONDA® AUDIO SYSTEMS

HC-GB - 1980-2017 w/5-pin system

HARLEY® AUDIO SYSTEMS

HC-GHD - 1998–2024 w/7-pin system HC-GB - 1989–1997 w/5-pin system

J&M AUDIO SYSTEMS

HC-GJM - 1999–2024 w/6-pin system HC-GB - 1980–2001 w/5-pin system

YAMAHA® AUDIO SYSTEMS

HC-GHD - 2017–2023 w/7-pin system HC-GB - 1983–2015 w/5-pin system

KAWASAKI® AUDIO SYSTEMS

HC-GVT - 2008–2021 w/7-pin system HC-GB - 1984–2006 w/5-pin system

CAN-AM® SPYDER AUDIO SYSTEMS

HC-GVT - 2008-2018 w/7-pin system

VICTORY® VISION AUDIO SYSTEMS

HC-GVT - 2008-2017 w/7-pin system

BMW® AUDIO SYSTEMS

HC-GJM - 1999-2010 w/6-pin system

Two-Year Limited Warranty

J&M Corporation warrants each new product it manufactures to be free from defective materials and workmanship. J&M agrees to remedy any such defect or replace the unit (at our option), provided the unit is delivered to us, intact, with all transportation charges prepaid to our factory, for a period of two (2) years from date of sale to the original purchaser. The provisions of this warranty shall not apply to any unit which has been subjected to misuse, neglect, incorrect mechanical or electrical installation, unauthorized modifications, accidents, nor to units which have been repaired or altered outside of our factory.

JM Corporation – Tucson AZ USA 85713 1-520-624-7000 – Audio@Jmcorp.com

WARRANTY AND REPAIR INFORMATION

TWO YEAR LIMITED WARRANTY In order to facilitate the servicing of this warranty, the Warranty Registration Form should be filled out and returned within 10 days of the date of purchase. However, return of the Warranty Registration Form is not a precondition of this warranty, and this Warranty will be observed by **J&M CORPORATION** whether or not the Warranty Registration Form is returned, on the condition that other satisfactory evidence of the date of the original purchase is provided to **J&M CORPORATION**.

WHO PROVIDES THE WARRANTY? This warranty is provided by J&M CORPORATION.

WHO IS PROTECTED? This warranty is extended only to the original owner of this J&M CORPORATION product and may not be transferred or assigned.

WHAT IS COVERED AND HOW LONG? This warranty covers all defects in material or workmanship of our product for a period of 2 years from date of original retail purchase. At its option, **J&M CORPORATION** will repair or replace any defective part(s) or equipment.

The provisions of the warranty shall not apply to any unit which has been subjected to misuse, neglect, incorrect mechanical or electrical installation, unauthorized modifications, accident, nor to units which have been repaired or altered outside of our factory.

PROCEDURE FOR OBTAINING PERFORMANCE OF WARRANTY In the event that the product does not conform to this warranty, the product should be shipped prepaid to the **J&M CORPORATION** service facility. Transportation charges, insurance fees, and labor costs for shipment, removal, or reinstallation of our product are not covered by this warranty. Loss or damage in shipment is the sole responsibility of the freight carrier.

FOR YOUR INFORMATION Repair as provided under this warranty is the exclusive remedy of the consumer. **J&M CORPORATION** shall not be liable for any incidental or consequential damages or for breach of any express or implied warranty on this product. Except to the extent prohibited by applicable law, any implied warranty of merchantability or fitness for a particular purpose on this product is limited in duration to the duration of the warranty. Some states do not allow the exclusion or limitation of incidental or consequential damages, or allow limitations on how long an implied warranty lasts, so the above limitations or exclusion may not apply to you. This warranty gives you specific legal rights which vary from state to state.

J&M CORPORATION reserves the right to make changes in design and to make improvements in its products without the obligation to incorporate the changes or improvements in any of its previously manufactured products.

J&M CORPORATION has not authorized anyone to make representations or warranties other than the warranty contained herein.

The above warranty is effective for all products manufactured after 10/01/86.

NON-WARRANTY REPAIR RATES J&M CORPORATION reserves the right to change the labor repair rates without prior notice. At the time of this printing the out-of- warranty repair is \$40 per hour for labor only. However, the customer is advised to verify the current rate when he/she calls customer service to obtain the return authorization number.

FACTORY SERVICE ADDRESS J&M Corporation, 1747 E 23RD ST, Tucson, Arizona, 85713, U.S.A. Tel: 1-520-624-7000 audio@jmcorp.com www.jmcorp.com

CUSTOMER SERVICE NUMBER 1-520-624-7000

Thank you for the confidence you have shown in J&M Corporation by purchasing one of our innovative products.

If you have any question or comments about this product, you may contact us at USA 1-520-624-7000 Monday thru Friday, 8:00AM thru 5:00PM Mountain Standard Time.



1747 E 23RD ST Tucson, AZ 85713 U.S.A.

Tel 1-520-624-7000

Website: http://www.jmcorp.com E-mail: audio@jmcorp.com

	פ
7	_
-	_

Name of dealer it was purchased from

WARRANTY REGISTRATION FORM Please fill out this card completely and mail it immediately after purchase. Please be sure that your zip code and serial number (if applicable) are legible. This will help us to serve you better.

PLEASE PRINT)				
Name				
Address				
Dity		State	Zip	
Motorcycle O Other O	E-mail			
Make	_ Model		Year	
Product part number			(e)	Mail to:
Serial number (if applicable)				JM Corporation 1747 E 23RD ST Tucson, AZ
Date of purchase				85713 U.S.A.